

Release phenomena and toxicity in polymer-based dental restorative materials

Vincenzo Fano, Mohamed Shatel, Maria Luisa Tanzi

Department of Public Health, University of Parma, Italy

Abstract. In this work, the origin of the release phenomena occurring in resin-based dental restorative materials is demonstrated using confocal fluorescence microscopy and tapping mode atomic force microscopy techniques. The surface structure (microcavities, protruded filler particles, grain boundaries, and cracks) produced by water environment on the surface of composite resins and resin-modified glass-ionomeric cements (RMGICs) are shown. The water absorption and the subsequent weight decrease, induced by leaching process, have been measured by gravimetric analysis. The different toxicity effects induced by the component release are described. (www.actabiomedica.it)

Key words: Dental restorative materials, toxicity of visible light-cured materials, confocal fluorescence microscopy, atomic force microscopy, dimensional variation

Introduction

Over the years an enormous range of polymeric materials (composite resins, compomers and resin-modified glass-ionomeric cements, RMGICs) used in restorative dentistry have been made and their properties have been studied. From the beginning, these materials have undergone a substantial development which shows no sign of abating. Their use in dentistry is chiefly restricted to restorative filling materials, adhesives, and fissure sealants which employ bifunctional-methacrylates in their monomer phase. The proliferation of these chemically sophisticated (polymer-based restorative) materials has involved the study of a wide range of material properties, some of which are basic properties, and others that are specific to dentistry. Nonetheless, it is still fair to say that their composition, chemistry, and toxic effects on patients have reached ultimate results. Toxicity effect is mainly due to the release of components in the oral environment from the polymeric material surface involved in the curing reaction. Although continuous improvements have

been reached (1-6), restoring in absence of tooth/restoration interfacial voids and porosity is difficult to achieve. Any free surface, produced by voids and porosity, is involved in leaching processes. Free surfaces of tooth-restoration interfacial microgaps are due to marginal seal failures, induce microleakage of oral fluids and recurrent caries (7-18), and affect short- and long-term adhesion (interface bond strength, masticatory load distribution). These microgaps are affected by several factors including C-factor (cavity factor) as well as structural characteristics of the dentin and its conditioning methods (10, 14-18).

Another type of interfacial void causes nanoleakage (19-29). A current trend in dentin bonding involves the formation of a hybrid layer interdiffusion zone which permits the micromechanical bonding that is necessary for the dentin to interlock to the restoration. In this case porosity is produced at adhesive-hybrid layer, dentin-hybrid layer interface, and in the same hybrid layer. Incomplete resin infiltration into the collagen fibril meshwork, integrity of the collagen fibrils, structure of the hybrid layer resulting from chemical treatment

(acid etching), elution of inadequately polymerized resin, and removal of retained water, are factors affecting the interfacial (micro- and nano) porosity.

The polymerization contraction stress seems to be the primary cause in the development of the interfacial stress leading to the failure of the marginal seal (microgaps) and interfacial porosity formation (it plays a key role in the interfacial microgap formation). Different approaches have been attempted in order to alleviate the major shortcomings of dental composite resins, namely the polymerization contraction. An approach consists in enhancing the hydrophilicity of the commonly used hydrophobic resins. For this purpose, adhesive monomers containing hydrophilic groups are often incorporated in the base monomers. However, the addition of adhesive monomers shows an adverse effect, since the hydrophilic sites promote the absorption of water and hydrolytical instability (hydrolysis of the hydrophilic monomers and leaching of the resin), thus decreasing the interfacial micromechanical bond strength.

The other approach consists in the improvement of the synthesis of low-contraction resins that could substitute the currently used resins, namely bis-phenol glycidyl methacrylate (Bis-GMA), urethane dimethacrylate (UDMA), tri-ethylen glycol di-methacrylate (TEGDMA), etc. (30, 31). A new area of restorative materials in the early stage of research, the "low shrinkage materials", is now growing. However the risk that novel materials pose to dental tissue in terms of bio-functionality and bio-compatibility has not yet been assessed. However, whatever free surfaces of polymer-based material is considered, release phenomena in the oral environment occur as a rule. Hence the continuing growth of regulatory requirements with respect to toxicity, that adds an extra dimension to the development of dental materials is necessary.

The origin of the release phenomena from free surfaces is due to the degree of the polymerization conversion that is significantly lower than 100% in the bulk volume, but it is by far lower at the tooth/material interface or on the polymer free surface produced by addition reaction. In this case, owing to inhibition of the polymerization reaction produced by air oxygen and/or oxygen absorbed on the free surfaces, the degree of conversion decreases up to 20%. Accordingly, the larger the material surface the larger the toxicity effect.

In this work the monomers usually used in polymer-based restorative materials obtained by addition reaction are reviewed; informations concerning the origin of tooth-restoration microgap formation are given; experimental evidence of release phenomena studied by Confocal Fluorescent Microscopy and Tapping Mode Atomic Force Microscopy is shown, and the different toxicity effects produced by the component release are reported.

Polymeric materials

Among the available monomers, the most frequently encountered are Bowen's resin and urethane dimethacrylate. However, due to the high viscosity of these monomers, diluents are added to allow them to incorporate more filler and to flow sufficiently at mouth temperature for packing into the tooth cavity. Fig. 1 shows some dental composite monomers.

Organic components of GICs and RMGICs, that are also used as lining materials, are mainly polyacrylic acids, photocurable monomers, typically hydroxyethyl-methacrylate (HEMA), and possible additional photopolymerizable monomers, such as Bis-GMA.

The polymer matrix binds the ingredients together (fillers, activator-initiator system, pigments), but at the same time is responsible for the inherent shrinkage, heat produced by the polymerization reaction, and toxicity effects.

Bis-glycidyl methacrylate (Bis-GMA) or Bowen's resin exhibits methacrylate end groups which can be polymerized like the autopolymerizing acrylic monomers when chemically or by visible light activated (468 nm wave length halogen or plasma light, or L.E.D.). It shows several advantages over methyl methacrylate, such as the molecular weight of 512 compared with 100 for MMA, a larger molecule which less readily diffuses, lower thermal expansion, lower polymerization contraction, and lower volatility.

Together with these advantages, the problem of high viscosity caused by the bulky phenyl rings in its chains and considerable hydrogen bonding between molecules are present. The inability to work with a material with such a high viscosity at room temperature (120 Pas) has resulted in the addition of lower vi-

scosity monomers such as TEGDMA, EGDMA, etc. To overcome the disadvantages of using diluents with the original bis-GMA monomers, alternative systems with reduced viscosity have been developed (bis-MA, bis-EMA, bis-PMA, etc., see Fig. 1). Among these, the hydroxy group elimination results in the reduction of hydrolytic degradation. Aliphatic dimethacrylates, such as urethane dimethacrylate monomers, have been used as substitutes of Bis-GMA. Due to the absence of phenyl groups in the polymer chains, their flexibility and toughness is significantly higher compared to Bowen's resin.

Reduced stiffness and increased polymerization contraction are the undesirable consequences. In order to reduce the polymerization contraction, ring opening systems which expand on polymerization have been also suggested, but at the present time they are far from ideal with respect to optical and aesthetic characteristics.




Figure 1. Monomers of composite resins

Interfacial microgaps

The polymerization contraction of the above-mentioned monomers is a cause of concern (Fig. 2). Due to the polymerization contraction, microgaps appear at tooth/cavity interface. This only occurs when the tooth-restoration adhesive force is lower than the cohesive force of tooth (enamel or dentin) tissue or restoration.

The microgaps increase in width owing to the leaching process induced by percolation of the oral fluids, which reduce low polymerized interfacial layer. Microgaps around the cavity margins remain possible sites where the percolation of oral fluids and the introduction of bacteria (bacterial colonization) can occur. These gaps have been measured; they are particularly problematic at the junction between the dentin of the cervical margin and the composite resin. Since the bond to enamel is stronger than that to dentin it results in the polymer pulling away from the weaker dentin bond as the restorative material shrinks on curing. This creates a space at the cervical margin of large proportion with respect to bacteria cell dimensions. Even worse, the light-activated dental composites contract towards the light source and therefore away from the cervical margin on setting. The development of recurrent caries, discoloration, pulpal irritation and thermal sensitivity are thus increased. The use of the acid etch technique for enamel together with a bon-




Figure 2. Polymerization contraction of composite (Venus) by laser beam scanning apparatus. Curves a) and b) are referred to two different specimens

ding agent for dentin minimises these undesirable effects, when incremental packing is used.

Hydrolytic degradation

All materials show absorption of oral fluids. Fig. 3 indicates that the water uptake mainly occurs in the first days immediately after immersion, subsequently a long-term erosion process takes place. Resin-modified glass-ionomeric cements (RMGICs) exhibit a more rapid and larger water uptake compared with composite resins (32–36).

Due to the water absorption, RMGICs release several components (organic molecules, silicates, fluoride, calcium, aluminum, and other ions) into the oral environment (37–42) promoting a protective action mainly due to the fluoride and calcium ions (absorption to dentin, antibacterial properties (37, 38), etc.), and/or a detrimental action (inflammatory actions of soft tissues). Accordingly, the mechanical properties can also change (34, 43–48).

For composite resins and compomers, the absorption of oral fluids involves a release process mainly related to the low-polymerized molecules. Water and saliva uptake can relieve areas of stress concentration and beneficially act in counteracting the polymeriza-

tion contraction. Unfortunately water uptake shows considerable deleterious effects on the mechanical properties. Both the yield stress and the fracture toughness have been shown to decrease by up to 30%. Attempts have been made to explain the process of water absorption and the related phenomena in terms of the diffusion process described by the Fick's law (33–37). The solution of Fick's equation is an exponential expression, which includes the basic parameter of the diffusion process, the diffusion coefficient (D). The assumption that the absorbed water obeys Fick's law implies that the specimen is homogeneous, and the partial solubility or dissolution occurring during the absorption can be neglected. The D values of RMGICs calculated within the framework of Fickian diffusion range from 10^{-11} to 10^{-12} m²/s. This suggests that the deterioration of these restorative materials would occur in a short time; on the contrary, the mechanical properties show long-term stability after an initial decrease. Therefore the assumption that the hydrolytic degradation is due to the uptake of water, which uniformly diffuses into the bulk material, has not been proved.

Recently, using confocal fluorescent microscopy (49), it has been shown that the water absorption process mainly involves the specimen surface and limits itself to the low polymerized surface layer. Fig. 4 shows the hydrolytic degradation produced by water absorption related to two representative areas of a RMGIC surface (Vitremer). Figures 4a and 4c show porosity and filler aggregates after a short immersion in water (1–2 days). Figs 4b and 4d show the same areas after 45 days of immersion in water. The loss of image resolution and the decrease in volume of the surface bubbles indicated that the absorption of water and the swelling of the matrix were occurring. The same details, reported in Figures 4b and 4d, periodically observed for 500 days, showed no further changes.

The thickness of the removed surface layer can be evaluated by the diameter of the surface bubbles removed by erosion. Usually, bubbles and filler aggregates of 20 μ m in diameter or lower were completely removed when located immediately below the surface. Consequently the thickness of the removed surface layer can be considered to be about 20 μ m. Some grains and cracks appeared after long water storage.




Figure 3. Water absorption of resin-based glass-ionomeric cements by gravimetric analysis. Curve B, Vitremer; D, Fuji II; F, Fuji Lining; H, Vitrebond. The tangent to a curve point gives the velocity of the process (absorption in the first days, or long-term erosion)




Figure 4. Water uptake observed by confocal fluorescent microscopy in a RMGIC (Vitremer). a) and c) show porosity and filler aggregates after a short immersion (1-2 days) in water; b) and d) show the same areas after 45 days. For longer immersion, no further changes are observed

Leaching

Usually, the absorbed water induces the leaching process, which, in turn, produces the release of free, residual unpolymerized monomers, low polymerized polymer molecules, filler particles, and filler by-products. Figs. 5 and 6 show the final view of RMGIC surfaces after the removal of the low polymerized layer. The etched surfaces are characterized by the cavity formation (Fig. 5) and protruded filler particles (Fig. 6). The view of Figs. 5 and 6 does not change when materials are soaked in water for a long time (1-2 years). This fact indicates that the leaching phenomenon mainly involves the specimen surface.

From a biological viewpoint, the leaching components can induce toxic effects. In addition, the leaching leads to the possible rupture of the polymer/tooth interfacial bond increasing the tooth-restoration gap.

The polymer properties are also dependent on the degree of the polymerization conversion of the




Figure 5. Microcavities observed by confocal fluorescent microscopy in RMGIC after removal of the low polymerized surface layer




Figure 6. Protruded filler particles by Atomic Force Microscopy in RMGIC after removal of the low polymerized surface layer

carbon-carbon double bonds in the methacrylate groups and on the degree of the cross-linking between bis-GMA molecules. The degree of the polymeriza-

tion conversion of Bis-GMA monomer has been shown to be approximately 55% for a chemically cured system and slightly less (48%) when UV radiation is used. The blue light can produce up to a 70% degree of conversion in the bulk material, when a diluent is used. In this case the increase of the degree of conversion is induced by a greater molecular mobility during curing. The improved degree of conversion produces stronger Bis-GMA/TEGDMA resins. Such a situation should be expected since the increased cross-link density indicates greater stiffness due to the reduced mobility of the polymer chains.

In all cases, even when the largest degree of polymerization contraction is reached in the bulk material, about 20% or more of the original monomer concentration is not involved in the surface chemical reaction and, consequently, is available for the leaching process.

It can be supposed that different matrix sites participate to the leaching process with different kinetics. An immediate contribution is given by dissolution of the low polymerized interfacial tooth/material surface layer, while the long-term contribution is given by boundaries of grains and cracks (Fig. 7).

Toxicity

In spite of increasing interest in these materials, research concerning the biocompatibility of polymer-based dental materials are still controversial. In vivo (animal) studies showed that microleakage and subsequent bacterial invasion produce allergic reactions and detrimental biological effects on dental pulp (50). Frequently the results obtained with different experimental methods are contradictory and need an improvement of standardized test methods in vitro (51); although physical properties of resin composites are constantly being improved, studies have shown that the use of these resins as restorative materials is occasionally associated with necrosis and irritation of the pulp, as well as of the periodontium.

In vitro toxic reactions, produced only by component release have been shown (52).

The change in the chemical structure of the composite and the variation in the ratio of the filler and monomer produce a significant effect on the element




Figure 7. Grain boundaries and cracks in compomer (F2000) by confocal fluorescent microscopy

release and cytotoxicity level of the material. It has been reported (53) that the flowable materials of the traditional composites were more toxic than the standard ones.

It has been also shown that both Bis-GMA and TEGDMA have reproductive toxic effects in female mice when they were administered at doses of 25 and 100 $\mu\text{g}/\text{kg}$ intragastrically for 28 days (54). Some investigations have examined the cytotoxicity of these monomers on mammalian cell cultures using a wide range of assay techniques and variable levels of cytotoxicity have been reported. Such monomers are toxic to human gingival fibroblasts and Ha CaT Keratinocytes (55). Many factors affect the toxicity of the components leached from the resin. In general, the monomers are more cytotoxic after 24 h of aging and become less toxic with aging (56). The removal of the leachable components from polymerized composites using organic solvents completely decreased their cytotoxicity (57).

It has been widely demonstrated that dental composite monomers may cause a wide range of adverse clinical effects, e.g. irritation to skin, eyes, or mucous membranes, and gastrointestinal complaints. In rabbit lung, the inhaled dental composite particles ($< 10 \mu\text{m}$) might even lead to chronic inflammation (58-60).

Conclusions

Confocal fluorescent microscopy and atomic force microscopy investigations regarding the visible light-cured polymer-based restorative materials indicate that release phenomena involve only the surface of the cured specimens. Consequently, the *in vitro* toxicity studies better reflect the usual clinical cases of restored teeth, when the experimental methods concern release phenomena of the surface of polymerized restorative materials. In fact the toxicity can radically change when the effect of a single component is analyzed.

References

1. Olmez A, Oztas N, Bodur H. The effect of flowable resin composite on microleakage and internal voids in class II composite restorations. *Oper Dent* 2004; 29: 713-29.
2. Mollica F, De Santis R, Ambrosio L, Nicolais L, Prisco D, Rengo S. Mechanical and leakage behaviour of the dentin-adhesive interface. *J Mater Sci Mater Med* 2004; 15: 485-492.
3. Wang Y, Spencer P. Exploring the nature of acid resistant hybrid layer with wet bonding. *Oper Dent* 2004; 29: 650-55.
4. Opdam NJ, Roeters JJ, de Boer T, Pesschler D, Bronkhorst E. Voids and porosities in class I micropreparations filled with various resin composites. *Oper Dent* 2003; 28: 9-14.
5. Yoshida E, Uno S. Void formation along the bonding interface between a smeared dentin surface and all-in-one adhesives. *J Dent Mater* 2004; 23: 643-9.
6. Takahashi A, Inoue S, Kawamoto C, et al. In vivo long-term durability of the bond to dentin using two adhesive systems. *J Adhes Dent* 2002; 4: 151-9.
7. Hashimoto M, Ohno H, Sano H, et al. Micromorphological changes in resin-dentin bonds after 1 year of water storage. *J Biomed Mater Res B Appl Mat* 2002; 63: 306-11.
8. Burrow MF, Satoh M, Tagami J. Dentin bond durability after three years using a dentin bonding agent with and without priming. *Dent Mater* 1996; 12: 302-7.
9. Armstrong SR, Keller JC, Boyer DB. The influence of water storage and C-factor on the dentin resin composite microtensile bond strength and debond pathway utilizing a filled and unfilled adhesive resin. *Dent Mater* 2001; 17: 268-76.
10. De Munck J, Van Landuyt K, Peumans M, Poitevin A, Lambrechts P, Braem M, Van Meerbeek B. A critical review of the durability of adhesion to tooth tissue: methods and Results. *J Dent Res* 2005; 84: 118-32.
11. Feilzer AJ, De Gee AJ, Davidson CL. Setting stress in composite resin in relation to configuration of the restoration. *J Dent Res* 1987; 66: 1636-9.
12. Pashley EL, Agee KA, Pashley DH, Tay FR. Effects of one versus two applications of an unfilled, all-in-one adhesive on dentine bonding. *J Dent* 2002; 30: 83-90.
13. Misra A, Spencer P, Marangos O, Wang Y, Katz JL. Micromechanical analysis of dentin/adhesive interface by the finite element method. *J Biomed Mater Res B Appl Mat* 2004; 70: 56-65.
14. Pachuta SM, Meiers JC. Dentin surface treatments and glass ionomer microleakage. *Am J Dent* 1995; 8: 187-90.
15. Ngo H, Mount GJ, Peters, MC. A study of glass-ionomer cement and its interface with enamel and dentin using a low-temperature, high-resolution scanning electron microscopic technique. *Quintessence Int* 1997; 28: 63-9.
16. Lin A, McIntyre NS, Davidson RD. Studies on the adhesion of glass-ionomer cements to dentin. *J Dent Res* 1992; 71: 1836-41.
17. Peutzfeldt A, Asmussen E. Effect of polyacrylic acid treatment of dentin on adhesion of glass ionomer cement. *Acta Odontol Scand* 1990; 48: 337-41.
18. Birkenfeld LH, Schulman A. Enhanced retention of glass-ionomer sealant by enamel etching: a microleakage and scanning electron microscopic study. *Quintessence Int* 1999; 30: 712-8.
19. Chung HA, Titley K, Torneck CD, Lawrence HP, Friedman S. Adhesion of glass-ionomer cement sealers to bovine dentin conditioned with intracanal medications. *J Endod* 2001; 27: 85-8.
20. Sennou HE, Lebugle AA, Grégoire. GL. X-ray photoelectron spectroscopy study of the dentin-glass ionomer cement interface. *Dent Mater* 1999; 15: 229-37.
21. Mason PN, Ferrari M. In vivo evaluation of glass-ionomer cement adhesion to dentin. *Quintessence Int* 1994; 25: 499-504.
22. Gladys S, Van Meerbeek B, Lambrechts P, Vanherle G. Marginal adaptation and retention of a glass-ionomer, resin-modified glass-ionomers and a polyacid-modified resin composite in cervical Class-V lesions. *Dent Mater* 1998; 14: 294-306.
23. Sanares AM, Itthagarun A, King NM, Tay FR, Pashley DH. Adverse surface interactions between one-bottle light-cured adhesives and chemical-cured composites. *Dent Mater* 200; 17: 542-56.
24. Moodley D, Grobler SR. Dentine bonding agents- a review of adhesion to dentine. *SADJ* 2002; 57: 234-8.
25. Li H, Burrow MF, Tyas M.J. Nanoleakage patterns of four dentin bonding systems. *Dent Mater* 2000; 16: 48-56.
26. Hashimoto M, De Munck J, Ito S, et al. In vitro effect of nanoleakage expression on resin-dentin bond strengths analyzed by microtensile bond test, SEM/EDX and TEM. *Biomaterials* 2004; 25: 5565-74.
27. Araujo RM, Eduardo CP, Duarte Junior SL, Araujo MA, Loffredo LC. Microleakage and nanoleakage: influence of laser in cavity preparation and dentin pretreatment. *J Clin Laser Med Surg* 200; 119: 325-32.
28. Ferrari M, Tay FR. Technique sensitivity in bonding to vital, acid-etched dentin. *Oper Dent* 2003; 28: 3-8.
29. Guzman Armstrong S, Armstrong SR, Qian F. Relationship between nanoleakage and microtensile bond strength at the resin-dentin interface. *Oper Dent* 2003; 28: 60-6.

30. Lin A, McIntyre NS, Davidson RD. Studies on the adhesion of glass-ionomer cements to dentin. *J Dent Res* 1992; 71: 1836-41.
31. Sennou HE, Lebugle AA, Grégoire GL. X-ray photoelectron spectroscopy study of the dentin-glass ionomer cement interface. *Dent Mater* 1999; 15: 229-37.
32. Small IC, Watson TF, Chadwick AV, Sidhu SK. Water sorption in resin modified glass-ionomer cements: an in vitro comparison with other materials. *Biomaterials* 1998; 19: 545-50.
33. Kanchanasavita W, Anstice HM, Pearson GJ. Water sorption characteristics of resin-modified glass-ionomer cements. *Biomaterials* 1997; 18: 343-9.
34. Cattani-Lorente MA, Dupuis V, Payan J, Moya F, Meyer M. Comparative study of the physical properties of a polyacid modified ion media upon fluoride release from a resin-modified glass-ionomer cement. *Clin Oral Investig* 1998; 2: 143-6.
35. Cattani-Lorente MA, Dupuis V, Moya F, Payan J, Meyer M. Effect of water on the physical properties of resin-modified glass ionomer cements. *Dent Mater* 1999; 15: 71-8.
36. Akashi A, Matsuya Y, Unemory M, Akamine A. The relationship between water absorption characteristics and the mechanical strength of resin-modified glass-ionomer cements in long-term water storage. *Biomaterial* 1999; 20: 1573-8.
37. Yap AU, Khor E, Foo SH. Fluoride release and antibacterial properties of new-generation tooth-colored restoratives. *Oper Dent* 1999; 24: 306-31.
38. Kan KC, Messer LB, Messer HH. Variability in cytotoxicity and fluoride release of resin-modified glass-ionomer cements. *J Dent Res* 1997; 76: 1502-7.
39. Geurtsen, W. Biocompatibility of resin-modified filling materials. *Crit Rev Oral Biol Med* 2000; 11: 333-55.
40. Preston AJ, Mair LH, Agalamanyi EA, Higham SM. Fluoride release from aesthetic dental materials. *J Oral Rehabil* 1999; 26: 123-9.
41. Geurtsen W, Bubeck P, Leyhausen G, Garcia-Godoy F. Effects of extraction media upon fluoride release from a resin-modified glass-ionomer cement. *Clin Oral Investig* 1998; 2: 143-6.
42. Levallois B, Fovet Y, Lapeyre L, Gal JY. In vitro fluoride release from restorative materials in water versus artificial saliva medium. *Dent Mater* 1998; 14: 441-7.
43. Gladys S, Van Meerbeek B, Braem M, Lambrechts P, Vanherle G. Comparative physico-mechanical characterization of new hybrid restorative materials with conventional glass-ionomer and resin composite restorative materials. *J Dent Res* 1997; 76: 883-94.
44. Cattani Lorente MA, Dupuis V, Payan J, Moya F, Meyer JM. Effect of water on the physical properties of resin-modified glass-ionomer cements. *Dent Mater* 1999; 15: 71-8.
45. Kanchanasavita W, Anstice HM, Pearson GJ. Long-term flexural strengths of resin-modified glass-ionomer cements. *Biomaterials* 1998; 19: 1703-13.
46. Kanchanasavita W, Anstice HM, Pearson GJ. Long-term surface micro-hardness of resin-modified glass ionomers. *J Dent* 1998b; 26: 707-12.
47. Uno S, Finger WJ, Fritz U. Long-term mechanical characteristics of resin-modified glass-ionomer restorative materials. *Dent Mater* 1996; 12: 64-9.
48. Mitra SB, Kedrowski BL. Long-term mechanical properties of glass ionomers. *Dent Mater* 1994; 10: 78-82.
49. Fano L, Fano V, Ma WY, Wang XG, Zhu F. Hydrolytic degradation and cracks in resin-modified glass-ionomer cements. *J Biomed Mater Res Part B: Appl Biomater* 2004; 69B: 87-93.
50. Grieve AR, Alani A, Saunders, WP. The effects on the dental pulp of a composite resin and two dentine bonding agents and associated bacterial microleakage. *Int Endod J* 1991; 24: 108-118. Abstract Medline.
51. Munksgaard, EC. Hansen, EK, Engen T. Self-reported occupational dermatological reaction among Danish dentists. *Eur J Oral Sci* 1996; 104: 396-402. Abstract Medline.
52. Hanks CT, Strawn SE, Wataha JC. Cytotoxic effects of Resin Components on cultured mammalian fibroblasts. *J Dent Res* 1991; 70 (11): 1450-5.
53. Al-Hiyasat AS, Darmani H, Milhem MM. Cytotoxicity evaluation of dental resin composites and their flowable derivatives. *Clin Oral Inves* 2005; 9: 21-25.
54. Homa Darmani AS, Alhiyasat B. The effect of Bis-GMA & TEG-DMA on female mouse fertility. *Dent Mat* 2006; 22: 353-8.
55. Moharamzadeh K, Noort RV, Brook IM, Scutt AM. Cytotoxicity of resin monomers on human gingival fibroblasts and HaCaT keratinocytes. *Dent Mat* 2005; 11: 1039-45.
56. Bouillaguet S, Shaw L, Gonzalez L, Kerjci I. Long term cytotoxicity of resin-based dental restorative materials. *J Oral Rehab* 2002; 29: 7-13.
57. Rathbun MA, Carig RG, Hancks CT, Filisko FE. Cytotoxicity of Bis-GMA dental composite before and after leaching in organic solvents. *J Biomed Mater Res* 1991; 25: 443-57.
58. Mathais CGT, Caldwell TM, Maibach HI. Contact dermatitis and gastrointestinal symptoms from hydroxyethylmethacrylate. *Br J Dermatol* 1987; 100: 447-9.
59. Lonnroth EC, Shahnavaz H. Use of polymer materials in dental clinics, case study. *Swed Dent J* 1997; 21: 149-59.
60. Goldberg NB, Goldberg AF. A rabbit lung model for testing reaction to inhaled dental restorative particles. *Chest* 1992; 101: 829-32.

Accepted: 22th October 2007

Correspondence: Prof. Maria Luisa Tanzi, MD

Department of Public Health

University of Parma, Italy

Tel 0521 903839

Fax 0521 903832

E-mail: marialuisa.tanzi@unipr.it, www.actabiomedica.it